



X-ROAD 6.5 GR

1 176,95 € HT

2199.00 € Prix Public Conseillé (TTC)

superior.

Réf Apesud : SP24-XRD-GR-6.5

CADRE Alu X6 Ultralite X-Road Race ,
FOURCHE X-ROAD Full Carbon
TRANSMISSION GRX RD-RX822 / GRX RX610, 12-speed
FREINS GRX RX610, hydraulic disc brake
ROUES DT Swiss R500,

COULEUR

Matte Mustard / Black

TAILLE

52cm (S)

54cm (M)

56cm (L)

58cm (XL)

Alu X6 Ultralite X-Road Race , Road Advanced Geometry, Smooth Welding, Disc Brake Flat mount, BB BSA 68mm, Integrated Cable Routing, Full Carbon front fork; mudguards ready

FORK X-ROAD Full Carbon

BOTTOM BRACKET SHIMANO, Cartridge Bearing

HEADSET ACROS AIX-525, ICR, OD56, IS52/28.6 - 40IPS

FRONT AXLES B02, TA12x119, M12xP1.5x8.5L, Black

REAR AXLE SB02, TA12x165, M12xP1.5x14L,

TRANSMISSION

SHIFTERS RIGHT SHIMANO GRX RX610, 12-speed

REAR DERAILLEUR SHIMANO GRX RD-RX822, Shadow Plus Design

CRANKSET SHIMANO GRX FC-RX610, 40T

CASSETTE SHIMANO SLX CS-M7101, 12-speed, 10-45T

CHAINE SHIMANO DEORE CN-M6100

FREINS

BRAKE GRX RX610, hydraulic disc brake

ROTOR FRONT SHIMANO SM-RT70, 160mm

ROTOR REAR SHIMANO SM-RT70, 140mm

ROUES

HUB FRONT SHIMANO HB-RS470, 28H, CL, 12x100mm, THRU Type AXLE

RIM FRONT DT Swiss R500, Disc, 28H, Tubeless Ready

TYRE FRONT Schwalbe G-One Allround, RaceGuard, TL-Easy, 40-622, ADDIX

HUB REAR SHIMANO FH-MT410, 28H, CL, 12x142mm, THRU Type AXLE

RIM REAR DT Swiss R500, Disc, 28H, Tubeless Ready

TYRE REAR Schwalbe G-One Allround, RaceGuard, TL-Easy, 40-622, ADDIX

SPOKES SAPIM Race, Stainless Black

NIPPLES SAPIM, Brass

COCKPIT


HANDLEBAR ONE Alloy, X-Race Aero, 31.8mm, Reach 70mm, Drop 127mm, Backsweep 6°

GRIPS LEFT ONE Handlebar Tape

PARTS SADDLE Selle Royal Flex

SEATPOST ONE Race, Alloy, 27.2mm

SEATPOST CLAMP ONE CC-080A, 31,8mm, Black



TAILLE DU CADRE	520MM (S)	540MM (M)	560MM (L)	580MM (XL)
WHEEL SIZE	700c	700c	700c	700c
BBD BB DROP (mm)	70	70	70	70
A SEAT TUBE LENGTH (mm)	490	510	530	550
B EFFECTIVE TOP TUBE LENGTH (mm)	530	540	570	590
S STACK HEIGHT (mm)	558	569	606	616
R REACH (mm)	367	371	384	401
C SEAT TUBE ANGLE	73,8	73,5	73	73
D HEAD TUBE ANGLE	71,5	72	73	73
RC REAR CENTER (mm)	414	414	414	414
G HEAD TUBE LENGTH (mm)	135	145	180	190
F WHEELBASE (mm)	992	990	1010	1029,8
STEM (mm)	60	80	90	100
HANDLEBAR (mm)	420	420	440	440
CRANKSET (mm)	172.5	172.5	175	175

CHOISIR LA BONNE TAILLE DE VÉLO ?

GAMME X-ROAD CARBONE

HAUTEUR

189 CM	200 CM
182 CM	188 CM
176 CM	181 CM
170 CM	175 CM

NOTRE RECOMMANDATION

580MM (XL)
560MM (L)
540MM (M)
520MM (S)